## **ELROB 2018**

24 - 28 September 2018 Mons, Belgium

### **Team Information**

Picture of vehicles:



Name of vehicle: MuCAR-3 (right) and MuCAR-4 (left)

Picture of team leader:



Name of team leader: Thorsten Luettel

Team Name: MuCAR

Team E-mail: elrob@mucar3.de

Logo:

technik autonomer systeme

Website: http://www.unibw.de/tas

Location: Neubiberg, Germany

Institution/Company: University of the Bundeswehr Munich

Address: Autonomous Systems Technology (LRT 8 TAS)

Werner-Heisenberg-Weg 39

85579 Neubiberg

Germany

Telephone: +49 89 6004 4637

+49 170 5566266

Fax: +49 89 6004 3074

Return form to: elrob@fkie.fraunhofer.de

## **ELROB 2018**

24 - 28 September 2018 Mons, Belgium

#### **Team Information**

Team Description:

Our Team MuCAR consists of about 15 team members under the leadership of Dipl.-Ing. Thorsten Luettel. All team members work as research assistants at "Autonomous Systems Technology" institute, which is headed by Prof. Dr.-Ing. Hans-Joachim Wuensche.

Our team developes and operates the two robot vehicles "MuCAR-3" and "MuCAR-4", the third rsp. fourth generation of our Munich Cognitive, Autonomous Robot Cars. The first two vehicle generations drove on German Autobahns under the leadership of Prof. E.-D. Dickmanns as far back as 1987. Both vehicles already have retired to museums.

MuCAR-3 is based on a stock VW Touareg with a V6 TDI engine, modified to allow computer control of steering, brake, throttle and automatic gearbox. Full body skid plates allow testing in rough terrain.

MuCAR-4 is based on a stock VW Tiguan with a TSI engine, modified to allow computer control of steering, brake, throttle and automatic gearbox.

Apart from inertial sensors, we continue to focus on vision as a main sensor for perception, as this sensor provides most of the information humans need for driving. In addition, we use a high definition 360 degree LiDAR sensor mounted on the roof of the vehicle. It is advantageous in special applications such as off-road driving, until our vision systems can fully cope with those scenarios as well.

The main vision sensors are forward looking color cameras. Three of them are placed on a two-axis platform inside the vehicle. This arrangement resembles the human vision system, with a tele-camera as "fovea" and 2 slightly outward pointed wide angle cameras for peripheral vision, which can also be used for stereo vision. These three cameras are mounted on a yaw axis platform to allow for active control of the horizontal viewing direction, while the view of the tele-camera with its narrow field of view is inertially stabilized. One vehicle is additionally equipped with some stereo cameras of the roof, providing 3D information in forward and backward direction. Some more cameras working in different spectral regions (SWIR, NIR) complete the camera setup.

Our robust and fast 4D-approach to perception has been augmented by an innovative fusion of vision and LiDAR data and excels in offroad environments featuring poor GPS

# **ELROB 2018**

24 - 28 September 2018 Mons, Belgium

#### **Team Information**

conditions. Different planning algorithms have shown their capabilities during the last trials.

Team MuCAR participated at the ELROB 2007, 2008, 2009, 2010, 2012, 2016, Eurathlon 2013 and – together with TU Karlsruhe and TU Munich through Team AnnieWAY – at the DARPA Urban Challenge 2007, where this team was one of only 11 teams which made it into the finals on 3 Nov. 2007.

Sponsors:	none
Selection of scenario:	
_	Reconnoitring of structures (3D mapping & find simulated radiation sources)
<u>X</u>	Mule (shuttle between two locations)
<u>X</u>	Convoying (transport with two vehicles)
	Search & Rescue (SAR) / MedEvac (find and drag a dummy body)
_	Reconnaissance and disposal of bombs and explosive devices (EOD/IED; <b>for professionals only!</b> )
	We consider participating in the Mule scenario with two different approaches (e.g., different robot vehicle, different sensor setup) Details will be given as soon as available!
Proof of citizenship::	A copy of team leader passport will do (will not be published)!